

DATA SHEET Product: Evo Comm Product Code: 03-10004 Doc lss: 01



Note: Computer, Monitor, Keyboard & Mouse Not included



DATA SHEET Product: Evo Comm Product Code: 03-10004

### **Dimensions: Millimetre (mm)**



#### **Core Key Features:**

- Height Adjustable
- Lever positioned on the left or right
- Large Trespa top with rear handle 20kg max load (other load options available)
- · Heavy duty steel base, ergonomic curved front recess
- · Cable entry holes on both top and base
- · Accessory mounting holes on both top and base
- 4 off braking swivel castors
- High ground clearance
- Material(s): Trespa, Aluminium, Steel, Plastic
- Finish(s): Anodised, Powder Coat Black Grey RAL7021 (other colours are available)
- Weight: 48kg

#### **Accessories Key Features**

- Fully adjustable monitor arm, Vesa 75 & 100 compliant Post length options 100, 200, 300, 400, 500 and 700mm Easy rotate between portrait and landscape Suggested screen size: 27" (inch)
  - Max load: 12kg
- Cart Top Shelf 65mm

Open front to allow for quick access to your equipment Positioned under the cart top, moving with the users height adjustment Supplied with an internal 3mm thick black ribbed rubber protective mat Internal dimensions W545xD250xH65mm Max Load: 5kg



Deep Draw

Lockable draw Positioned under the cart top, moving with the users height adjustment Smooth operation with ball bearing runners/slides Supplied with 2 keys Supplied with an internal 3mm thick black ribbed rubber protective mat Internal dimensions W530xD250xH200mm (height without rubber mat) Max load: 10kg

Rear Cable Tray

Internal storage for small electronic devices, PDU, Cables, etc Removable rear cover Flexible cable chain connected to cart top Front cable entry

# Cleaning

· Refer to the Ergo-Cart cleaning guide for detailed information

- Tested active agents
  - Detergent & Disinfectants
  - Alcohol Based
  - Ammonia
  - Chlorine

## **Operation and Maintenance**

- · Secure any loose items before moving.
- Carefully lift castors over large thresholds.
- · Periodic general inspection, check fixings are secure, check free movement of any moving part.